

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015



Version US-EN-Rev 1

Reviewed on 03/02/2015

## 1 Identification

- **Product identifier**
- **Trade name:** RETENTION BEADS II ADHESIVE
- **Relevant identified uses of the substance or mixture and uses advised against**  
Dental material  
The product is intended for professional use.  
To avoid risks for humans and environment obtain instructions.
- **Application of the substance / the mixture** Auxiliary for manufacture of dental prothesis
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
GC America Inc.  
3737 W. 127th Street  
Alsip, IL 60803  
USA  
  
sds@gcamerica.com
- **Information department:** Regulatory Affairs
- **Emergency telephone number:**  
During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900  
Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.  
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
STOT SE 3 H336 May cause drowsiness or dizziness.
- **Additional information:**  
The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**  
  
  
GHS07 GHS08
- **Signal word** Danger
- **Hazard-determining components of labeling:**  
acetone

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015

Version US-EN-Rev 1

Reviewed on 03/02/2015

**Trade name:** RETENTION BEADS II ADHESIVE

(Contd. of page 1)

ethyl acetate

- **Hazard statements**

Causes skin irritation.  
 Causes serious eye irritation.  
 May cause drowsiness or dizziness.  
 Causes damage to organs through prolonged or repeated exposure.  
 May be fatal if swallowed and enters airways.

- **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapors/spray.  
 Wear protective gloves.  
 If swallowed: Immediately call a poison center/doctor.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

35 % of the mixture consists of component(s) of unknown toxicity.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1  
 Fire = 3  
 Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1  
 Fire = 3  
 Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

|          |               |        |
|----------|---------------|--------|
| 141-78-6 | ethyl acetate | 25-50% |
| 67-64-1  | acetone       | 10-20% |

- **Additional information:**

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

US

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015

Version US-EN-Rev 1

Reviewed on 03/02/2015

**Trade name:** RETENTION BEADS II ADHESIVE

(Contd. of page 2)

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
If symptoms persist consult doctor.
- **After inhalation:**  
Supply fresh air; consult doctor in case of complaints.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Rinse with warm water.  
If symptoms persist consult doctor.
- **After eye contact:**  
Protect unharmed eye.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Remove persons from danger area.  
Avoid contact with the eyes and skin.  
Wear protective clothing.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to penetrate the ground/soil.  
In case of seepage into the ground inform responsible authorities.

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015

Version US-EN-Rev 1

Reviewed on 03/02/2015

**Trade name:** RETENTION BEADS II ADHESIVE

(Contd. of page 3)

- **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb liquid components with liquid-binding material.  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Observe instructions for use.  
Ensure good ventilation/exhaustion at the workplace.  
Do not inhale dust / smoke / mist.  
Avoid contact with the eyes and skin.
- **Information about protection against explosions and fires:** Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Observe instructions for use / storage.  
Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

### Components with limit values that require monitoring at the workplace:

#### 141-78-6 ethyl acetate

|     |   |
|-----|---|
| PEL | Long-term value: 1400 mg/m <sup>3</sup> , 400 ppm |
| REL | Long-term value: 1400 mg/m <sup>3</sup> , 400 ppm |
| TLV | Long-term value: 1440 mg/m <sup>3</sup> , 400 ppm |

#### 67-64-1 acetone

|     |   |
|-----|---|
| PEL | Long-term value: 2400 mg/m <sup>3</sup> , 1000 ppm  |
| REL | Long-term value: 590 mg/m <sup>3</sup> , 250 ppm  |
| TLV | Short-term value: (1782) NIC-1187 mg/m <sup>3</sup> , (750) NIC-500 ppm<br>Long-term value: (1188) NIC-594 mg/m <sup>3</sup> , (500) NIC-250 ppm<br>BEI |

### Ingredients with biological limit values:

#### 67-64-1 acetone

(Contd. on page 5)

US

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015

Version US-EN-Rev 1

Reviewed on 03/02/2015

**Trade name:** RETENTION BEADS II ADHESIVE

(Contd. of page 4)

|     |                                  |
|-----|----------------------------------|
| BEI | 50 mg/L                          |
|     | Medium: urine                    |
|     | Time: end of shift               |
|     | Parameter: Acetone (nonspecific) |

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Avoid contact with the eyes and skin.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.
- **Breathing equipment:** Suitable respiratory protective device recommended.
- **Protection of hands:** Protective gloves
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

|                 |                                    |
|-----------------|------------------------------------|
| Form:           | Solid                              |
| Color:          | According to product specification |
| Odor:           | Odorless                           |
| Odor threshold: | Not determined.                    |
- **pH-value:** Not determined.
- **Change in condition**

|                              |               |
|------------------------------|---------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** Undetermined.
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015

Version US-EN-Rev 1

Reviewed on 03/02/2015

**Trade name:** RETENTION BEADS II ADHESIVE

(Contd. of page 5)

|   |  |
|---|--|
| · <b>Explosion limits:</b>                        |  |
| <b>Lower:</b>                                     | 2.1 Vol %                                  |
| <b>Upper:</b>                                     | 13.0 Vol %                                 |
| · <b>Vapor pressure:</b>                          | Not determined.                            |
| · <b>Density:</b>                                 | Not determined.                            |
| · <b>Relative density</b>                         | Not determined.                            |
| · <b>Vapour density</b>                           | Not determined.                            |
| · <b>Evaporation rate</b>                         | Not determined.                            |
| · <b>Solubility in / Miscibility with Water:</b>  | Insoluble.                                 |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic:</b>                                 | Not determined.                            |
| · <b>Solvent content:</b>                         |  |
| <b>Organic solvents:</b>                          | 65.0 %                                     |
| <b>VOC content:</b>                               | 45.0 %                                     |
| · <b>Other information</b>                        | No further relevant information available. |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** No further relevant information available.
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

(Contd. on page 7)

US

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015

Version US-EN-Rev 1

Reviewed on 03/02/2015

**Trade name:** RETENTION BEADS II ADHESIVE

(Contd. of page 6)

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Carcinogenic categories' legend:**

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015




Version US-EN-Rev 1

Reviewed on 03/02/2015

Trade name: RETENTION BEADS II ADHESIVE

(Contd. of page 7)

## 14 Transport information

|   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· UN-Number</li> <li>· DOT, ADR, IMDG, IATA</li> </ul>                                   | UN1993   |
| <ul style="list-style-type: none"> <li>· UN proper shipping name</li> <li>· DOT</li> <li>· ADR</li> <li>· IMDG, IATA</li> </ul> | Flammable liquids, n.o.s. (Ethyl acetate, Acetone)<br>1993 Flammable liquids, n.o.s. (Ethyl acetate, Acetone)<br>FLAMMABLE LIQUID, N.O.S. (ETHYL ACETATE, ACETONE) |
| <ul style="list-style-type: none"> <li>· Transport hazard class(es)</li> <li>· DOT</li> </ul>                                   | <div style="text-align: center;">  </div>   |
| <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>  | 3 Flammable liquids<br>3   |
| <ul style="list-style-type: none"> <li>· ADR, IMDG, IATA</li> </ul>   | <div style="text-align: center;">  </div>  |
| <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>  | 3 Flammable liquids<br>3   |
| <ul style="list-style-type: none"> <li>· Packing group</li> <li>· DOT, ADR, IMDG, IATA</li> </ul>                               | II   |
| <ul style="list-style-type: none"> <li>· Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>                         | No   |
| <ul style="list-style-type: none"> <li>· Special precautions for user</li> <li>· EMS Number:</li> </ul>                         | Warning: Flammable liquids<br>F-E, <u>S</u> -E   |
| <ul style="list-style-type: none"> <li>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>     | Not applicable.  |
| <ul style="list-style-type: none"> <li>· Transport/Additional information:</li> </ul>   | <div style="text-align: center;">  </div>  |
| <ul style="list-style-type: none"> <li>· ADR</li> <li>· Excepted quantities (EQ)</li> </ul>                                     | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml  |
| <ul style="list-style-type: none"> <li>· UN "Model Regulation":</li> </ul>  | UN1993, Flammable liquids, n.o.s. (Ethyl acetate, Acetone), 3, II  |

US

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015

Version US-EN-Rev 1

Reviewed on 03/02/2015

Trade name: RETENTION BEADS II ADHESIVE

(Contd. of page 8)

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act)

|  |
|--|
| · <b>Section 355 (extremely hazardous substances):</b> |
|--|

|                                   |
|-----------------------------------|
| None of the ingredient is listed. |
|-----------------------------------|

|  |
|--|
| · <b>Section 313 (Specific toxic chemical listings):</b> |
|--|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

|   |
|---|
| · <b>TSCA (Toxic Substances Control Act):</b> |
|---|

|               |
|---------------|
| ethyl acetate |
|---------------|

|         |
|---------|
| acetone |
|---------|

- **Carcinogenic categories**

|  |
|--|
| · <b>EPA (Environmental Protection Agency)</b> |
|--|

|         |   |
|---------|---|
| acetone | I |
|---------|---|

|   |
|---|
| · <b>TLV (Threshold Limit Value established by ACGIH)</b> |
|---|

|         |    |
|---------|----|
| acetone | A4 |
|---------|----|

|   |
|---|
| · <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b> |
|---|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

acetone

ethyl acetate

- **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

- **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves.

If swallowed: Immediately call a poison center/doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

# Safety Data Sheet

## acc. to OSHA HCS 29 CFR 1910.1200

Printing date 03/02/2015

Version US-EN-Rev 1

Reviewed on 03/02/2015

**Trade name:** RETENTION BEADS II ADHESIVE

(Contd. of page 9)

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

- **Department issuing SDS:** Regulatory Affairs
- **Contact:**  
Regulatory Affairs  
Telephone No. +1 (708) 597-0900  
sds@gcamerica.com
- **Date of preparation / last revision** 03/02/2015 / -
- **Abbreviations and acronyms:**  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
HCS: Hazard Communication Standard (USA)  
MSDS: Material Safety Data Sheet  
SDS: Safety Data Sheet  
ADN: Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)  
ECHA: European Chemicals Agency  
OSHA: Occupational Safety and Health Administration (USA)  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1  
Asp. Tox. 1: Aspiration hazard, Hazard Category 1
- **Sources**
  - Manufacturers' MSDSs/SDSs
  - OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
  - TOXNET (<http://toxnet.nlm.nih.gov/>)
  - ECHA (<http://echa.europa.eu/>)
  - EnviChem ([www.echemportal.org](http://www.echemportal.org))
- **Notes:**  
CAS Registry Number is a Registered Trademark of the American Chemical Society.  
CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.
- **\* Data compared to the previous version altered.** This version replaces all previous versions.
- **Disclaimer:**  
The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.