



# References

As of February 9th 2011



**EQUIA™**  
Posterior  
Restorative  
System





# EQUIA™

Posterior restorative system

1. Change in translucency of posterior restorative glass-ionomer cements. K. Tanaka, K. Kato, T. Noguchi, H. Nakaseko, S. Akahane. GC Corporation. IADR 2007, Abstract 2025
2. Influence of coating materials on conventional glass-ionomer cement (poster). K. Kato, H. Nakaseko, T. Sakuma. GC Corporation. IADR 2008, Abstract 0487
3. SEM and microleakage evaluation of the marginal integrity of two types of class V restorations with or without the use of a light-curable coating material and of polishing. E. Magni, L. Zhang, R. Hickel, M. Bossu, A. Polimeni, M. Ferrari. Journal of Dentistry 2008
4. Effect of resin coating on the ultimate strength of glass ionomers. M. Shinohara, A. Antunes, J. Padovano, A.K. Bedran-Russo. Abstract 796 – AADR March 2010, Washington DC, USA
5. Adhesion of streptococcus mutans to different restorative materials. C. Poggio, C.R. Arcialo, F. Rosti, A. Scribante, E. Saino, L. Visai. The International Journal of Artificial Organs. Vol. 32, n°9, 2009
6. Ricostruzioni dentarie a lungo termine con cementi vetroionomerici. M. Basso, J. Nowakowska, C. Boggian, S. Corbella. Dental Cadmos 2010, Giugno; 78(6)
7. Dental glass ionomer cements as permanent filling materials? – Properties, limitations and future trends. U. Lohbauer. Materials 2010, 3, 76-96; doi:10.3390/ma3010076
8. 6-month clinical performance of a new glass-ionomer restorative system. S. Gurgan, F.Y. Cakir, E. Firat, Z.B. Kutuk, S. Ak. Abstract 403 – IADR 2010, Barcelona, Spain
9. Clinical evaluation of new glass ionomer-coating combined systems for 18 months. L.S. Turkun, O. Kanik. Abstract 402 – IADR 2010, Barcelona, Spain

