



GC Fuji IX GP **Condensable glass ionomer restorative cement**

Literature (as of June 15, 2005)

1. Toothbrush-Dentifrice Abrasion of Glass-Ionomer cement designed for posterior restoration, H. Komatsu, H. Shimokobe, M. Yoshimura, T. Ikeda, Y. Kobayashi and K. Hirota, Hokkaido University & GC Corporation, Japan
2. The physical properties of a glass ionomer cement used for ART, E. Mather, A.W.G. Walls & J.F. McCabe, University of Newcastle
3. The Condensability of Posterior Glass-Ionomer Using Various Filling Procedures, M. Yoshimura, K. Komatsu, E. Seki, S. Watanabe, H. Shimokobe, Hokkaido University, Japan, IADR 1995, Abstract 1281
4. Abrasionsbeständigkeit von Kompomeren und Stopfbaren Glasionomercementen, N. Krämer, N. Pelka, P. Kautetzky, J. Sindel, A. Petschelt, University of Erlangen, Jahrestagung der Gesellschaft für Kinderzahnheilkunde in der DGZMU, Leipzig 1995
5. Physical properties of glass ionomer for restorative filling, Y. Suzuki, S. Tosaki, K. Hirota, GC R & D, IADR 1995, Abstract 1282
6. Comparison of Two Glass Ionomer Cements Using the ART technique, P. Mallow, C. Durward, , M. Klaipo, World Concern, Pnom Penh, Cambodia and University of Otago, Dunedin, New Zealand, IADR 1995, Abstract 33
7. Wear resistance and gap formation in Class - I - cavities using silico-phosphat-cement and glassionomer-cements, H.P. Flessa, C. Bauer, N. Al-Kathar, K.H. Kunselmann, R. Hickel, University of München, IADR 1995, Abstract 1099
8. Comparison of two glass-ionomer cement materials used as fissure sealing, U.L. Weerheijm, C.M Kreulen, R.J.N. Gruythuysen, W.E. van Amerongen, ACTA Amsterdam, Orca 1995
9. The sorption and release of fluoride by four different ion-releasing dental cements, M. Rothwell, H.M. Anstice, G.J. Pearson, Eastmann Dental Institute London, J. Dent. Res. 75 (5) 1996, Abstract 385
10. Wear resistance of new condensable Glass ionomer cements, J. Sindel, N. Krämer, A. Petschelt, University of Erlangen. EAPD Congress, Bruges, Belgium, 1996
11. Wear resistance of tooth-coloured condensable glass ionomer cements, J. Sindel, N. Krämer, A. Petschelt, University of Erlangen-Nuremburg, Dental School, Erlangen, Germany, Birmingham 1996, Abstract 4
12. Microscopic Evaluation of the Penetration into Pit and Fissures of Two Glass Ionomers used as Sealants, L.F.L. Velasco, J.E. Nör, M.C. Figueiredo, UFRGS, Porte Alegre, Brazil, IADR 1996, Abstract 418
13. The assessment of the fluoride uptake and release from resin-modified glass-ionomer restorative materials and fissure sealants, H.K. Yip, University of Hong Kong. IADR 1996, Abstract 1303
14. In-vitro micoleakage of glass ionomer and compomer restorations, Y.L. Osman, R. Rahbeeni, N. Patel, University of the western Cape, South Africa, APDC, Bombay, 1996

15. Microscope Evaluation of Glass Ionomers used as Sealants of Pits and Fissures, L.F.L. Velasco. *J. Dent Res* 75 (5) 1996, Abstract 138
16. Microscopic Study of Root Canal Obturation Using Three Different Glass-Ionomer-based Materials, M. Capurro, O. Zmener, H. Maga, R. Macchi, University of Buenos Aires. *J Dent. Res* 75 (5) 1996, Abstract 5
17. One and 2 Year Results of ART Procedures in Zimbabwe, J.E. Frencken, F. Makoni, W.D. Sithole, Ministry of Health & Child Welfare, Zimbabwe, *J Dent. Res* 75 (5) 1996, Abstract 17
18. Stopfbare Glasionomerzemente - eine neue Amalgamalternative im Milchgebiss ?, R. Frankenberger, J. Sindel, N. Krämer, University of Erlangen, *Quintessenz* 47, 11, 1535-1549, 1996
19. Glass-ionomer Cements, Cermet Cements, "Hybrid"-Glass-ionomers and Compomers - Laboratory Trials - Wear resistance, K.H. Kunzelmann, University of Munich. *Academy of Dental Materials*, München 1996
20. Compomers and glass ionomers : Bond strength to dentin and mechanical properties, A. Peutzfeldt, *American Journal of Dentistry*, Vol. 9, No.6, December 1996
21. Clinical evaluation of modified glassionomers in Class II restorations, C. Benz, W. Stabel, A. Mehl, R. Hickel, University of München. *IADR 1997*, Abstract 1209
22. Bonding mechanisms of three new dentin bonding systems and of a new traditional glass-ionomer cement : an in vivo and in vitro investigation, M. Ferrari, M.C. Cagidiaco, C.L. Davidson, University of Siena, Italy and ACTA Amsterdam, The Netherlands. *IADR 1997*, Abstract 2112
23. Bond strength of resin modified glass ionomer cements and compomers, K.H. Friedl, G. Schmalz, K.A. Hiller, A. Gottlieb, University of Regensburg, Germany, *IADR 1997?* Abstract 2400
24. Shear bond strength of three glass ionomer cements to enamel and dentin, F.C. Sa, R.C. Paschetto, D.A. Pieroli, M.F.L. Navarro, University of Saò Paolo, Brazil, *IADR 1997*, Abstract 2407
25. Fluoride Release and Weight Loss from ART Technique GICs, W. Gao, R.J. Smales, W.T.C. Lam, University of Hong Kong. *IADR 1997*, Abstract 2419
26. Dynamic Hardness of Glass Ionomer Cements, T. Maeda, F. Agarie, T. Eguro, K. Takahashi, H. Tanaka, Nippon Dental University, Japan. *IADR 1997*, Abstract 2424
27. Wear and Cyclic Fatigue of new Glass Ionomer Cements, A. Graf, J. Sindel, N. Krämer, A. Petschelt, University of Erlangen, Germany. *IADR 1997*, Abstract 2427
28. Effect of fluoridated gel and solution on fluoride uptake by glass-ionomer cements, L.M.A. Tenuta, R.C. Paschetto, M.F.L. Navarro, E.M. Taga, University of Saò Paolo, Brazil. *IADR 1997*, Abstract 2434
29. Effect of Time on the Diametral Tensile Strength of Conventional Glass-Ionomer Restorative Materials, M.T.C. França, R.C.O. Sabage, E.P. Valarelli, J.R.P. Lauris, M.F.L. Navarro, University of Saò Paolo, Brazil. *IADR 1997*, Abstract 2441
30. Effect of polishing on resin-modified glass ionomer fluoride release, A. Wandera, M. Figueiredo, J.E. Nor, University of Michigam, UFRGS, Brazil, *IADR 1997*, Abstract 2489
31. Autraumatic Restorative Treatment - One Year Clinical Report (Temporary Teeth Restorations), M.L. Basso, M.H. Edelberg, Dental School, Salvador, Argentine Dental Association University. *IADR 1997*, Abstract 2938
32. Dental Cements / Resins Containing Fluoroaluminosilicate Glass : Sliding Wear and Friction Coefficients, C. Ochsner, D.A. Covey, N. Ewoldson, M.W. Beatty, UNMC College of Dentistry, Lincoln. *IADR 1997*, Abstract 3260
33. Sealing ability of Fuji IX in Class II restorations, M. Ferrari, University of Siena, Italy, File at GC EUROPE N.V.
34. Surface hardness and wear of glass ionomers and compomers, Anne Peutzfeldt, Franklin Garcia-Godoy & Erik Asmussen, *American Journal of Dentistry*, Vol. 10, No. 1, February 1997
35. Cost- Effectiveness Analysis of using Atraumatic Restoration Treatment (ART) Technique compared to Conventional Amalgam Treatment. W. Putthasri, W. Pitiphat, P. Phantumvanit, Y. Songpaisan, Khon Kaen Univ., Thammasat Univ. & Mahidol Univ., Thailand, *IADR/SEA 1997*, Abstract 0-31
36. 3-Year Results of ART Restorations and GI Sealants, J.E. Frencken, F. Makoni, W.D. Sithole, E. Hackenitz, Ministry of Health & Child Welfare, Dental Department, Zimbabwe.

IADR South African Division and East and South African Section Meeting, Cape Town, October 1997

37. Marginal Integrity of Glass-Ionomer Class II Restorations after Fatigue Loading, F. Sanders-Tavares Da Cunha Mello, A.J. Feilzer and C.L. Davidson, ACTA, Department of Dental Materials Science, The Netherlands, IADR/CED 1997, Abstract 6
38. Sealing ability of Fuji IX in Class II restorations in vivo and in vitro, M. Ferrari, A. Vichi, M.C. Cagidiaco, Dental School, University of Siena, Italy. IADR/CED 1997, Abstract 8
39. In vitro evaluation of sealing pits and fissures with newer glass-ionomer cements developed for the ART technique, Roger J. Smales, Wei Gao, Fu Tak Ho, The Journal of Clinical Pediatric Dentistry, Volume 21, Number 4, 1997
40. Fluoride Release and Uptake of Glass Ionomer Cement, M. Hirasawa, S. Tosaki, K. Hirota, R & D department, GC Corporation, 3rd. International Congress of Dental Materials, 1997, Abstract 0161
41. THE DENTAL ADVISOR, Vol. 15, No. 1, February 1998
42. Interdiffusion of a traditional glass ionomer cement into conditioned dentin, Marco Ferrari and Carel L. Davidson, American Journal of Dentistry, Vol. 10, No. 6, December 1997
43. Fluoride Release and Compressive Strength of Fluoride Releasing Materials, Xiaoming Xu and John O. Burgess, Department of Operative Dentistry and Biomaterials, Louisiana State University Medical Center, School of Dentistry, New Orleans, USA, AADR 1998, Abstract 1091
44. Bond strength of glass-ionomers to dentin of primary and permanent teeth, B.Y.Y. Mok, H.P.Y. Thean and C.L. Chew, IADR 1998, Abstract 1248
45. Surface hardness change of restorative filling materials stored in saliva, K. Okada, S. Tosaki, K. Hirota and W.R. Hume, IADR 1998, Abstract 455
46. Clinical evaluation of Dyract AP and Fuji IX to build up abutments for porcelain crowns, M. Ferrari, F. Mannocci, M. Innocenti, G. Kugel and C.L. Davidson, IADR 1998, Abstract 2598
47. Cuspal fracture resistance and microleakage of glass ionomer cements in primary molars, Shaleen Virmani, Shobba Tandon and Nirmala Rao, the Journal of Clinical Pediatric Dentistry, Volume 22, Number 1/1997
48. Clinical Investigation of an Experimental Glass Ionomer Restorative : Preliminary Findings, Y. Luo, S.H.Y. Wei and M.W. Fan, IADR-SEA division 1998, Abstract 71
49. ART restorations and glass ionomer sealants in Zimbabwe : survival after 3 years, JE Frencken, F Makoni and WD Sithole, Community Dent Oral Epidemiol 1998; 26 : 372-81
50. Bonding mechanism of Ketac-Molar Applicap and Fuji IX GP to enamel and dentin, Yumiko Hosoya and Franklin Garcia-Godoy, American Journal of Dentistry, Vol. 11, No. 5, October 1998
51. The influence of substrates and cement on the color of full ceramic restorations, A. Vichi, M. Ferrari and C.L. Davidson, IADR 1998, Abstract 1048
52. Effects of Fluoride-Releasing Materials on Dentin Demineralization In Vitro, C. Francci, T.G. Deaton, R.A. Arnold, E.J. Swift Jr, J. Perdigão and J.W. Bawden, University of São Paulo, São Paulo, Brazil and the University of North Carolina, Chapel Hill, NC, USA, IADR 1999, Abstract 72
53. Clinical Evaluation of ART Technique using Fuji IX and Fuji Plus, E.M. Souza, R.S.S. Terada, C.c. Rodrigues and M.F.L. Navarro, Federal University of Parana, Bauru Dental School, USP, Brazil, IADR 1999, Abstract 74
54. Fluoride Release and Recharge of Fluoride-Releasing Restorative Materials, X. Xu, J.O. Burgess and J.S. Turpin-Mair, Louisiana State University, School of Dentistry, New Orleans, Louisiana, USA, IADR 1999, Abstract 431
55. Caries Inhibition of Glass Ionomer Cements : Fuji IX and Ketac Molar, R. Lin and K.J. Donly, Dows Institute for Dental Research, College of Dentistry, University of Iowa, Iowa City, IA, USA, IADR 1999, Abstract 520
56. Fracture toughness of direct tooth-colored restorative materials, S.R. Armstrong, J. Seol and D.B. Boyer, The University of Iowa, Iowa City, Iowa, USA, IADR 1999, Abstract 811
57. Antibacterial Activity of a Glass-Ionomer Cement : Fuji IX, N.B. Almeida, J.F. Siqueira Jr and S.R. Moraes, Faculdade de Odontologia, UERJ and Univ. Veiga de Almeida, Rio de Janeiro, Brazil, IADR 1999, Abstract 967

58. Crack Closure on Rehydration of Glass-ionomer Materials, P. Pilecki, S.K. Sidhu and T.F. Watson, GKT Dental Institute, Guy's Hospital, London, and University of Newcastle Dental School, Newcastle, UK, IADR 1999, Abstract 984
59. Influence of Mixing Procedures on Wear Resistance of Glass Ionomer Cements, U. Lohbauer, M. Pelka, R. Frankenberger and N. Krämer, Policlinic of Operative Dentistry and Periodontology, University of Erlangen, Germany, IADR 1999, Abstract 988
60. Use of G.I.C. (Fuji IX) in disabled patients, G. Fani, R. De Lulis, Dental School, University of Siena, Italy, IADR 1999, Abstract 1437
61. Fuji IX restorations in occlusal cavities of molar teeth, 12- month data, A.W.G. Walls and E. Mather, University of Newcastle upon Tyne, England, IADR 1999, Abstract 1443
62. Influence of 2 % Chlorhexidine on Glass Ionomer Bond Strength, P.L.A. Scabell, F.C. Cohen, H.R. Sampaio Filho and M. Paraizo, Universidade do Estado do Rio de Janeiro, RJ, Brazil, IADR 1999, Abstract 1640
63. Color Stability of Fluoride Containing Restorative Materials, G. Iazzetti and J.O. Burgess, LSU School of Dentistry, New Orleans, LA 70119 and UFRJ School of Dentistry, Rio De Janeiro, Brazil, IADR 1999, Abstract 1656
64. Atraumatic Restorative Treatment – Three years clinical evaluation, M.H. Edelberg and M.L. Basso, Dental Materials and Pedodontics Departments, School of Dentistry, Salvador/Argentine Dental Association University, Argentina, IADR 1999, Abstract 2100
65. Lapping Abrasion Behavior of Condensable Glass-ionomers, M. Pelka, J. Sindel and A. Petschelt, Policlinic of Operative Dentistry, University of Erlangen, Germany, IADR 1999, Abstract 2739
66. An in Vitro Evaluation of Bond Strength of Glass Ionomer Cements in Enamel and Dentin, L.C.G. Pereira, R.S.S. Terada, R.G. Palma and M.F.L. Navarro, Baura Dental School, USP, Brazil, IADR 1999, Abstract 2989
67. Linear and volumetric polymerization shrinkage of the restorative materials, M.F. De Goes, F. Garcia-Godoy and L. Cardenas, Dental School of Piracicaba, Unicamp, Brazil, University of Texas, HSC at San Antonio, USA, IADR 1999, Abstract 3025
68. Bond strengths of a porcelain material to different abutment substrates, M. Ferrari, F. Mannocci, A. Vichi and G. Goraccia, Dental School, University of Siena, Italy, Dental School, University 'La Sapienza, Rome, Italy, IADR 1999, Abstract 3395
69. Wear rates of Glass Ionomer Cements and Composite Resins, M.B. Shabanian and L.C. Richards, Faculty of Dentistry, University of Adelaide, South Australia, 5005, J Dent Res 78 (5) 1999, Divisional Abstracts : Australian & New Zealand Division, Abstract C2
70. 'In vitro' evaluation of the penetration and microleakage of Fuji IX in pits and fissures of third molars, M. Monico and M. Tostes, Department of Pedodontics, FO-UFF, Niteroi, RJ, J Dent Res 78 (5) 1999, Divisional Abstracts : Brazilian Division, Abstract A-020
71. Discolouration of restorative materials by beverages, B.K. Kisumbi and D.C. Watts, The University of Manchester Dental School, UK, J Dent Res 78 (5) 1999, Divisional Abstracts : East and Southern Africa Division, Abstract 41
72. Clinical Investigation of an Experimental Glass Ionomer Restorative : Preliminary Findings, Y. Luo, S.H.Y. Wei and M.W. Fan, Faculty of Dentistry, University of Hong Kong, Hong Kong, School of Stomatology, Hubei Medical University, Wuhan, China, J Dent Res 78 (5) 1999, Divisional Abstracts : Southeast Asian Division, Abstract 71
73. Inhibition of Demineralization by Restorative Materials on Artificially Caries Challenged Enamel, H.K. Yip, W.T.C. Lam and R.J. Smales, Faculty of Dentistry, The University of Hong Kong, Department of Health, Hong Kong Government, Dent Res 78 (5) 1999, Divisional Abstracts : Southeast Asian Division, Abstract 72
74. Comparative Study of flow of GI Cements used for Atraumatic Restorative Treatment, R. Sindhu, E.S. Grossman, H.V. Exner, K. Mokoena, S. Setzer and V. Karic, Departments of Restorative Dentistry and Dental Research Institute, MRC, University of the Witwatersrand, Johannesburg 2050, Dent Res 78 (5) 1999, Divisional Abstracts : South African Division, Abstract 36
75. The Theory and Practice of Internal 'Tunnel' Restorations : A Review of the Literature and Observations on Clinical Performance Over Eight Years In Practice, Stephen EB Jones, Primary Dental Care, July 1999
76. Advantageous effects on the setting and mechanical properties of glass-ionomers by ultra-sound treatment, Van Duinen RNB, De Gee AJ and Davidson CL, ACTA,

- Department of Dental Materials Science, Amsterdam, The Netherlands and School of Dentistry, Abstract 24, IADR/CED 1999
77. Fluoride release, weight loss and erosive wear of modern aesthetic restorations, H-K. Yip, W.T.C. Lam and R.J. Smales, *British Dental Journal*, Volume 187, No. 5, September 11, 1999
 78. Overleving van eenvlaks ART-restauraties in Zimbabwe na 3 jaar, J.E. Frencken, *Ned Tijdschr Tandheelkd* 1999; 106; 214-218
 79. A 2-year clinical study of two glass ionomer cements used in the atraumatic restorative treatment (ART) technique, T.F.T. Ho, R.J. Smales and D.T.S. Fang, *Community Dent Oral Epidemiol* 1999; 27; 195-201
 80. The impact of the ART approach on the treatment profile in a Mobile Dental System (MDS) in South Africa, S. Mickenautsch, M.J. Rudolph, E.O. Ogunbodede and J.E. Frencken, *International Dental Journal* (1999) Vol. 49/No3
 81. In vitro Effectiveness of Hand Excavation of Caries with the ART Technique, R.J. Smales and D.T.S. Fang, *Caries Res* 1999;33;437-440
 82. Fluoride Release from Restorative Materials and Its Effects on Dentin Demineralization, C. Francci, T.G. Deaton, R.R. Arnold, E.J. Swift Jr., J. Perdigao and J.W. Bawden, *J Dent Res* 78(10) : 1647-1654, October, 1999
 83. *Atraumatic Restorative Treatment (ART) for dental caries*, J.E. Frencken & C.J. Holmgren, STI Book b.v., Nijmegen, the Netherlands
 84. How effective is ART in the management of dental caries?, J.E. Frencken and C.J. Holmgren, *Community Dent Oral Epidemiol* 1999 ; 27 : 423-30
 85. Is ART really atraumatic?, W.E. van Amerongen and S. Rahimtoola, *Community Dent Oral Epidemiol* 1999 ; 27 : 431-5
 86. Vetro-ionomeri. *Aspetti clinici di ricerca.*, M. Ferrari, P.N. Mason, E. Bertelli and C.L. Davidson, *Dental Cadmos* 19/99
 87. Clinical Investigation of a High-Strength Glass Ionomer Restorative Used with the ART Technique in Wuhan, China : One-year Results, Y Luo, S Hy Wei, MW Fan and E CM Lo, *the Chinese Journal of Dental Research*, Volume 2, Number 3, 1999
 88. Microtensile Bond Strength of Glass Ionomer Cement to Dentine, M. Tanumiharja, M.F. Burrow and M.J. Tyas, Uni of Melbourne, Australia, 78th General Session of the IADR 2000, Abstract 846
 89. Adhesion of contemporary glass ionomer cements used in sound dentin, H.K. Yip, F.R. Tay, H. Ngo, R.J. Smales and D.H. Pashley, The University of Hong Kong, Hong Kong SAR, The University of Adelaide, South Australia and Medical College of GA, Augusta, USA, 78th General Session of the IADR 2000, Abstract 848
 90. Evaluation of atraumatic restorative treatment (ART) and minimal intervention treatment (MIT), U.M.E. Chikte, I. Sarvan and A.J. Louw, Univ. of Stellenbosch, South Africa, 78th General Session of the IADR 2000, Abstract 1206
 91. Bond Strength of Glass Ionomer Cements Chemically Activated in Enamel and Dentin, L.C.G. Pereira, R.G. Palma and M.F.L. Navarro, João Prudente Dental School, FAEE and Bauru Dental School, USP, Brazil, 78th General Session of the IADR 2000, Abstract 1693
 92. Solid State F NMR Spectroscopy of Dental Restorative Materials, D.E. McMillan, J.A. Chudek, S.N. Scrimgeour, G. Hunter and C.H. Lloyd, Univ. of Dundee, Dundee, Scotland, UK, 78th General Session of the IADR 2000, Abstract 1719
 93. Use of G.I.C. (Fuji IX) in disabled patients, G. Fani and R. De Iulio, Dental School, University of Siena, Italy, 78th General Session of the IADR 2000, Abstract 1738
 94. Dentin conditioning and microleakage of glass-ionomer restorations, M. Witte, K. Troendle, W. O' Haver, A. Mejia, H. Titus and F. Garcia-Godoy, Restorative Dentistry, U of Texas HSC at San Antonio, 78th General Session of the IADR 2000, Abstract 2349
 95. Dimensional Change of restorative Materials and Cements Over Three Months, B.S. Wall and C.B. Hermes, Univ. of Texas, Health Science Center-San Antonio, Tx, 78th General Session of the IADR 2000, Abstract 2447
 96. Ketac-Molar & Fuji IX GP glass ionomers : mechanical properties, F. Garcia-Godoy and H.W. Titus, Restorative Dentistry, U of Texas HSC at San Antonio, 78th General Session of the IADR 2000, Abstract 3166
 97. Surface hardness of glass-ionomers : Effect of long-term water storage, W. O'Haver and F. Garcia-Godoy, Restorative Dentistry, U of Texas HSC at San Antonio, 78th General Session of the IADR 2000, Abstract 3167

98. Effect of ARF minute-foam on the surface roughness, hardness and micromorphology of high-viscosity glass-ionomers, F. Garcia-Godoy, A. Garcia-Godoy and , F. Garcia-Godoy, Restorative Dentistry, U of Texas HSC at San Antonio, 78th General Session of the IADR 2000, Abstract 3168
99. Long-term erosion of acid base restorative materials, C.E. Vergani, J. Williams and G.J. Peraon, Department of Biomaterials, Eastman Dental Institute, University of London, UK, 78th General Session of the IADR 2000, Abstract 3801
100. Ricostruzione coronale in endodonzia, M. Milanesio, Dental Cadmos 4/2000
101. Microtensile bond strengths of glass ionomer (polyalkenoate) cements to dentine using four conditioners, M. Tanumiharja, M.F. Burrow and M.J. Tyas, Journal of Dentistry 28 (2000) 361-366
102. In vitro caries inhibition at the enamel margins of glass ionomer restoratives developed for the ART approach, R.J. Smales and W. Gao, Journal of Dentistry 28 (2000) 249-256
103. Fluoride release from glass ionomer cements and resin composites coated with a dentin adhesive, S.A. Mazzaoui, M.F. Burrow and M.J. Tyas, Dental Materials 16 (2000) 166-171
104. Bond strengths of glass ionomer restoratives to primary vs permanent dentin, H.P.Y. Thean, B. Y.Y. Mok and C.L. Chew, Journal of Dentistry for Children, March-April 2000
105. In vitro study of the pulp reaction to Fuji IX, a glass ionomer cement, N. Six, J.-J. Lasfargues and M. Goldberg, Journal of Dentistry 28 (2000) 413-422
106. THE DENTAL ADVISOR, Vol. 17, No. 6, July/August 2000
107. Surface hardness change of restorative filling materials stored in saliva, K.Okada, S.Tosaki, K.Hirota, W.R.Hume; Dental Materials 17 (2001) 34-39
108. Clinical Evaluation of a glass ionomer cement in primary molars, J. Rutar, BDS, L. McAlla, BDS, MSc, M.J. Tyas, BDS, PhD, DDS; Pediatric Dentistry – 22,6,2000
109. The influence of powder/liquid ratios on the compressive and shear bond strengths of glass-ionomer cements; J.Nicholson, B.Czarnecka, H.Limanowska-Shaw (Dental Biomat. Dep. Guy's, King's, St Thomas Dent.Instit. London, UK, Dep. Of Biomaterials and Experimental Dentistry, Karol Marcinkowski University of Medical Sciences, Poznan, Poland); 4th Joint Meeting Warsaw 2000, Abstract 163
110. Stepwise excavation using Fuji IX glass-ionomer in caries-active patients: 15 months evaluation; R.L.Zanata, M.F. de L. Navarro, S.H.Barbosa, Bauru Dental School – USP-Brasil; JDR, Volume 79-N°5, IADR May 2000; Abstract 304
111. Clinical evaluation of the atraumatic restorative treatment (ART) in primary teeth-1 year; R.Terada, C.M.C.Tapety, D.F.G.Cefaly, M.F.L.Navarro, Bauru Dental School-USP, Brasil; JDR, Volume 79-N°5, IADR May 2000; Abstract 281
112. Diametral tensile strength of conventional and resin-modified glass-ionomer cements used in the ART; D.F.G.Cefaly, E.Bresciani, D.A.Nogueira, C.M.C.Tapety, M.F.L.Navarro, Bauru Dental School-USP, Brazil; JDR, Volume 79-N°5, IADR May 2000; Abstract 287
113. In vitro evaluation of glass-ionomer cements used in atraumatic restorative treatment, M.C.P.Nunes; M.F.L.Navarro, Operative Dentistry-Bauru Dental School – USP – SP, Brazil; JDR, Volume 79-N°5, IADR May 2000; Abstract 296
114. Wear patterns in glass-ionomer cements and composite resins; M.Shabanian-Borojeni and L.C.Richards (The University of Adelaide, South Australia); JDR, Volume 79-N°5, IADR May 2000; Australian div., Abstract C-29
115. Atraumatic restorative treatment: knowledge of public health dentists of the XX administrative region of Rio de Janeiro; L.Primo, A.G.L.Ramos-Valente, Pediatric Dentistry – FO-UFRJ Brazil; JDR, Volume 79-N°5, IADR May 2000; Brazilian div., Abstract A-140
116. Effect of glass ionomer fluoride release on surrounding dentin microhardness; Lima A.L.T.O., Francci C.E., University of Sao Paulo, Brazil NAPEM – FOUSP; JDR, Volume 79-N°5, IADR May 2000; Brazilian div., Abstract A-219
117. Marginal leakage in proximal cavities restored with glass ionomer cements; S.I.Myaki, P.M.Hayashi, M.C.Vieira, M.Fava, I.Balducci, Dept. Pediatric Dentistry, School of

- Dentistry, UNESP, Sao José dos Campos; JDR, Volume 79-N°5, IADR May 2000; Brazilian div., Abstract A-244
118. Comparative study of the effectiveness and retention of occlusal sealing with a Fluroshield and Fuji IX; RS Centenaro, RM Puppini-Rontani, SM Komati, ME Baglioni-Gouveia – FOP/UNICAMP; JDR, Volume 79-N°5, IADR May 2000; Brazilian div., Abstract A-261
119. Fluoride uptake by restorative glass-ionomer cements from fluoride gels; L.M.A.Tenuta, R.C.Pascotto, E.M.Tagar, M.F.L.Navarro, Bauru Dental School, University of Sao Paulo, Brazil; JDR, Volume 79-N°5, IADR May 2000; Brazilian div., Abstract A-291
120. Evaluation of wear and surface roughness of direct esthetic restoratives; F.P.C.Faria, F.R.Bortolotto, R.R.Braga; Dental Materials-University of Sao Paulo; JDR, Volume 79-N°5, IADR May 2000; Brazilian div., Abstract A-309
121. Effect of water storage on the flexure strength and hardness of acid base cements; C.E.Vergani, J.Williams, G.J.Pearson (Departments of Biomaterials, Eastman Dental Institute and SBRLMDS, QMW, London); JDR, Volume 79-N°5, IADR May 2000; British div., Abstract 270
122. The impact of the ART approach on the treatment profile in a Mobile Dental System (MDS) in South Africa; S.Mickenausch, M.J.Rudolph, E.O. Ogunbodede and J.E.Frencken, University of the Witwatersrand, Johannesburg; JDR, Volume 79-N°5, IADR May 2000; South African div., Abstract 21
123. Restoration-tooth interface in ART using two glass ionomers – An SEM study; R.Sindhu, E.Grossman and S.Setzer; Restorative dentistry and MRC/Wits Dental Research Institute, WITS Johannesburg; JDR, Volume 79-N°5, IADR May 2000; South African div., Abstract 41
124. High strength glass ionomer for the ART technique: one-year results; Y.Luo, S.H.Y.Wei, M.W.Fan and E.C.M. Lo (Faculty of Dentistry, The University of Hong Kong and School of Stomatology, Hubei Medical University, Wuhan, China); JDR, Volume 79-N°5, IADR May 2000; South East Asian div., Abstract 8
125. Effect of polymeric coating on artificial secondary caries formation; P.N.R.Pereira, T.Higashi, M.Okuda, S.Yamaguchi, T.Nikaido, J.Tagami (Tokyo Medical & Dental University); JDR, Volume 79-N°5, IADR May 2000; South East Asian div., Abstract 50
126. Color stability of tooth-colored filling materials afters daylight exposure; C.Wiwatwarrapan, B.Bukkavesa, F.Pukiat, T.Siriboonvinit (Chulalongkorn University, Bangkok, Thailand); JDR, Volume 79-N°5, IADR May 2000; South East Asian div., Abstract 100
127. Highly viscous Glass Ionomer for Fissure Protection in an Under-served Population; C.Taggart (UNMC, Lincoln, NE), J. Martin (OSU, Columbus, OH), E. Casas, N. Ewoldsen (GC America, Alsip IL); 30th Annual Meeting of the AADR 2001 - Chicago, Abstract 592
128. Effects of long-term water storage on the wear resistance of acid-base restorative cements; C.E. Vergani (UNESP, Araraquara, SP, Brazil), G.J. Pearson (Queen Mary, University of London, U.K.); 30th Annual Meeting of the AADR 2001 - Chicago, Abstract 1181
129. Progress in properties of restorative materials immersed in human saliva; K. Kobayashi, K.Okada, S.Kato and K.Hirota (R&D dept. GC Corporation, Tokyo, Japan); 30th Annual Meeting of the AADR 2001 - Chicago, Abstract 1182
130. Fluoride release from a novel hybrid ionomer; D. Salaheldin (Cairo Univ.,Egypt), C.C.Inman, A.D. Puckett (University of Mississippi Med. Center, Jackson, MS,USA); 30th Annual Meeting of the AADR 2001 - Chicago, Abstract 1297
131. Physical properties and fluoride release of high strength glass ionomer cements; S. Dhanvarachorn, M.R. Lund, B.A. Matis, B.K.Moore, Y.Oshida, J.A.Platt, M.A.Cochran (Indiana Univ School of Dentistry, Indianapolis, IN,US); 30th Annual Meeting of the AADR 2001 – Chicago, Abstract 1298
132. Setting characteristics and surface hardness of new glass ionomers; K.-P.Stefan,P.Schneider,R.Richter, G.Rackelmann (ESPE Dental AG, Seefeld, Germany); 30th Annual Meeting of the AADR 2001 – Chicago, Abstract 1300

133. Dimensional change of restorative materials and cements over twelve months; B.S.Wall and C.B.Hermesch (Univ.of Texas Health Science Center – San Antonio, TX); 30th Annual Meeting of the AADR 2001 – Chicago, Abstract 1311
134. Evaluation of fluoride releasing restorative materials for sealing overdenture abutments; K.Ikebe, R.L.Ettinger, J.S.Wefel (Osaka University, Osaka, Japan and the University of Iowa, Iowa City, Iowa); 30th Annual Meeting of the AADR 2001 – Chicago, Abstract 1621
135. Influence of resin coating on shear punch strength of Fuji IX; J.Leirskar, H.Nordbø, G.J.Mount, H.C.Ngo (University of Oslo, Norway, University of Adelaide, South Australia); 79th General Session & Exhibition of the IADR, Chiba; Abstract 0144
136. The micro-tensile bonding test of glass ionomer cement; S.Kato, S.Akahane and K.Hirota (R&D dept. GC Corporation, Tokyo, Japan); 79th General Session & Exhibition of the IADR, Chiba; Abstract 0244
137. Atraumatic restorative treatment in permanent teeth. Two years clinical report; M.H.Edelberg and C.Bustamante; Dental Materials Dept. School of Dentistry, USAL/AOA and A. Bollini, Dental Hospital, La Plata, Argentina; 79th General Session & Exhibition of the IADR, Chiba; Abstract 0918
138. Remineralisation of carious dentine by glass ionomer, an in-vivo study; HC Ngo, M.Fraser, G.Mount, J.Mcintyre, J.Tuisuva, R.Von Doussa (Dental School, Adelaide University, South Australia 5005, Dental dept., Fiji School of Medicine, Suva); 79th General Session & Exhibition of the IADR, Chiba; Abstract 0919
139. Effect of fluoride-releasing materials on caries inhibition; K.Nilasri, P.Senawongse, M.Okuda, M. Otsuki, J.Tagami (Dept. of operative Dentistry, Mahidol University, Thailand, Cariology and Operative Dentistry, Tokyo Medical and Dental University, Japan); 79th General Session & Exhibition of the IADR, Chiba; Abstract 1180
140. ART and conventional restorations in deciduous dentitions after 3 years; D.Tayfour, J.E.Frencken, N.Beirut, M.A.Van 't Hof, G.J.Truin (WHO Regional Centre, Damascus, Syria; University of Nijmegen, Netherlands);); 79th General Session & Exhibition of the IADR, Chiba; Abstract 1292
141. Evaluation of two year of the atraumatic restorative treatment in babies; M.Sampaio, M.C.Figueiredo, D.B.Rosito (Baby Clinic, School of Dentistry, Federal University of Rio Grande do Sul, Porto Alegre, Brazil); 79th General Session & Exhibition of the IADR, Chiba; Abstract 1458
142. Clinical performance of glass-ionomer restorations in posterior teeth; H.Komatsu, Y.Kobayashi, N.Yamagami, H.Sano (Hokkaido University Graduate School of Dental Medicine, Japan); 79th General Session & Exhibition of the IADR, Chiba; Abstract 1459
143. Strengthening a conventional glass ionomer cement using hydroxyapatite; M.E.Lucas, K.Arita, M.Nishino (The Univ.of Tokushima, Tokushima, Japan); 79th General Session & Exhibition of the IADR, Chiba; Abstract 1478
144. Is ART still cost-effective if cost and success rate are changed?; W.Putthasri (Faculty of Dentistry, Khon Kaen University, Thailand); 79th General Session & Exhibition of the IADR, Chiba; Abstract 1874
145. Effects of APF Gel on the physical structure if compomers and glass ionomer cements; KH-K Yip, D. Peng, RJ Smales (Beijing Medical University, Beijing China); Operative Dentistry, 2001, 26, 231-238
146. A preliminary comparison of the mechanical properties of chemically cured and ultrasonically cured glass ionomer cements, using nano-indentation techniques; M.R.Towler, A.J.Bushby, R.W.Billington, R.G.Hill (University of Limerick, Queen Mary & Westfield College, Eastman Dental Institute, Imperial College); Biomaterials 22 (2001) 1401-1406
147. Comparative wear resistance of reinforced glass ionomer restorative materials; AUJ Yap, JCM Teo, SH Teoh; Operative Dentistry, 2001, 26, 343-348
148. Comparison of atraumatic restorative treatment and conventional cavity preparations for glass-ionomer restorations in primary molars: One-year results; H-K Yip,BDS,PhD,Med/ R.J. Smales,MDS,DDSc/ C.Yu, BDS/ X-J Gao, BDS,MS,PhD/ D-M Deng , BDS,MS; Quintessenz International, Volume 33, Number 1, 2002

149. CVI di ultima generazione nei restauri di V Classe – Analisi della microinfiltrazione; C. Poggio, M. Chiesa, U. Genova, G. Merlati, Università degli Studi di Pavia; *Dental Cadmos* 18/2001 p.67-71
150. Setting reaction kinetics of different glass ionomer cements, U.Lohbauer, P.Sahrmann, S.Nikolaenko, J.Neubauer, A.Petschelt, P.Greil, *Academy of Dental Materials*, October 2001
151. Microleakage of a new improved glass ionomer restorative material in primary and permanent teeth; A. Castro, DDS, MS, R.F.Feigal, DDS, PHD; *Pediatric Dentistry* – 24:1, 2002
152. Flexural strength of hydroxyapatite-added glass ionomer cement; from M.E. Lucas, K.Arita and M. Nishino, The University of Tokushima, Japan; IADR 2002 San Diego, Abstract 0054
153. The influence of one month water storage on fracture strength and cyclic fatigue of experimental and commercial glass ionomer cements; from U. Lohbauer, G. Amberger, S. Nikolaenko, K.Petovka and A. Petschelt, University of Erlangen; IADR 2002 San Diego, Abstract 0055
154. Effect of toothbrush-dentifrice abrasion on the surface roughness of acid-base restorative cements; from C.E. Vergani – Sao Paulo State University, Brazil and G.J. Pearson, Queen Mary & Westfield college, University of London, U.K.; IADR 2002 San Diego, Abstract 0056
155. Caries inhibition zone around fluoride-releasing materials after recharging; from P. Senawongse, K. Nilasri, M. Okuda, M.Otsuki and J. Tagami, Tokyo Medical and Dental University, Japan – Mahidol University Thailand; IADR 2002 San Diego, Abstract 0147
156. Physiological remineralization of artificially demineralized dentin beneath glass ionomer cements; from Y. Kitasako, M. Nakajima, P.N.R. Pereira and J. Tagami – Tokyo Medical and Dental University, Japan – University of North Carolina at Chapel Hill, USA; IADR 2002 San Diego, Abstract 0190
157. Evaluation of fluoride-releasing aesthetic restorative materials; from A.A. Fayed Ismail, I.L. El Gayar, S.A.Kader and M.M. Ghoneim, Faculty of Dentistry, Alexandria University, Egypt; IADR 2002 San Diego, Abstract 0204
158. Inhibition of bacterial growth found in fluoride containing restorative materials; from M. Nakano, Y.Momoi, N. Maede and T. Arai, Tsurumi University Japan; IADR 2002 San Diego, Abstract 0414
159. Antibacterial effect of various glass ionomers, M.C. Peters, M. Jimenez, G.E. Poort and J.C. Fenno, University of Michigan USA; IADR 2002 San Diego, Abstract 0415
160. Bond strength to caries-affected dentin of glass ionomer cements; from R.G. Palma Dibb, C.G.Castro, R.P.Ramos, D.T.Chimello and M.A. Chinelatti, University of Sao Paulo – Ribeirao Preto Dental School, Brazil; IADR 2002 San Diego, Abstract 1686
161. The influence of the insertion technique on the marginal microleakage of glass ionomer cements developed to ART technique; from D.A.Nogueira, S.Pithan and R.S. Vieira, Universidade Federal de Santa Catarina, Brazil; IADR 2002 San Diego, Abstract 1893
162. Comparing 2 and 3-body wear of dental materials; from S.Molyvda, S.L. Rolland and J.F. McCabe, University of Newcastle upon Tyne, U.K.; IADR 2002 San Diego, Abstract 1984
163. Dehydration shrinkage and water binding characteristics of tooth-coloured restorative materials; from S.K. Sidhu, T.E. Carrick and J.F. McCabe, University of Newcastle upon Tyne, U.K.; IADR 2002 San Diego, Abstract 1995
164. Fluoride varnish effect on hue and value of restorative materials; from J. Autio-Gold and A.A. Barrett, University of Florida, USA; IADR 2002 San Diego, Abstract 2010
165. Effect of chewing tobacco on compressive strength of resin restoratives; from M.M. Winkler, X.Xin, J.Weathersby, X.Xu, J.O. Burgess and P. Worthington, LSU School of Dentistry USA; IADR 2002 San Diego, Abstract 2679
166. Effects of storage media on the physical properties of Fuji IX; from K. Khosravi, H.C.Ngo, M. Fraser, L.G. Do and G.J. Mount, Isfahan University, Iran – The University of Adelaide, Australia; IADR 2002 San Diego, Abstract 3415
167. Fluoride release and uptake of five glass ionomer cements; from D.P.Raggio, M.L. Takeuti, C.R.M.D. Rodrigues and J.C.P. Imparato, Sao Paulo University, Brazil; IADR 2002 San Diego, Abstract 3418
168. Strengths of glass ionomer materials after fluoride recharging; from H.Nakajima, K. Kuramochi, T. Hoshino, A. Moriyama and Y. Hibino, Meikai University School of Dentistry, Japan; IADR 2002 San Diego, Abstract 3423

169. Dimensional change of restorative materials and cements over two years; from C.B.Hermesch and B.S. Wall, University of Texas Health Science Center – San Antonio, TX, USA; IADR 2002 San Diego, Abstract 3424
170. Clinical investigation of two glass-ionomer restoratives used with the atraumatic restorative treatment approach in China: two-years results; E.C.M. Lo, Y. Luo, M.W. Fan, S.H.Y. Wei; University of Hongkong / Wuhan University / Dentsply Asia; Caries Res 2001;35:458-463
171. The effect of dental restorative materials on dental biofilm; T.M. Auschill, N.B. Arweiler, M. Brex, E. Reich, A. Sculean, L.Netuschil; University Dresden / University Freiburg / University Saarland; European Journal of Oral Sciences 2002; 110:48-53
172. A comparison of microtensile bond strengths of several dentin bonding systems to primary and permanent dentin; M.F. Burrow, U.Nopnakeepong, S. Phrukkanon – University of Melbourne & University of Bangkok; Dental materials 18 (2002) 239-245
173. Three-year clinical performance of glass ionomer cement in primary molars; J. Rutar, L.McAllan & M.J. Tyas – University of Queensland & University of Melbourne; International Journal of Paediatric Dentistry 2002; 12: 146-147
174. Remineralisation of artificial carious dentine exposed to two glass-ionomers, H.C.Ngo, M.Fraser, G.Mount, J.Mcintyre, and L.G.Do, The university of Adelaide, Australia; IADR 2002 San Diego, Abstract 3109
175. Mechanical properties and Bond Strength of glass-ionomer cements; L. Coelho Garcia Pereira, M. Calvo Pessutti Nunes, R. Guenka Palma Dibb, J.M. Powers, J.-F. Roulet, M. Fidela de Lima Navarro; Journal of Adhesive Dentistry 2002; 4:73-80
176. The atraumatic restorative treatment (ART) approach for the management of dental caries; R.J. Smales, MDS, DDSc – Adelaide University, H.-K. Yip, BDS, Med, MMedSc, PhD – Prince Philip Dental Hospital Hong Kong; Quintessenz International, Volume 33, Number 6, 2002
177. Glass ionomer cements used as fissure sealants with the atraumatic restorative treatment (ART) approach: review of literature; H.-K. Yip – Hong Kong SAR China, R.J. Smales – Adelaide Australia; International Dental Journal (2002) 52, 67-70
178. Comparison of two tooth-saving preparation techniques for one-surface cavities; S.Rahimtoola, BDS,MCPS, E.van Amerongen, DDS,PhD; Journal of dentistry for children (January-April 2002)
179. The effects of two cavity preparation methods on the longevity of glass ionomer cement restorations – an evaluation after 12 months; K. H-K. Yip, BDS, M.Ed.,M.Med.Sc.,PhD, R.J. Smales, MDS, DDSc., WEI GAO, BDS, Phd, Dong Peng, BDS, M.Sc., PhD; JADA, Vol. 133, June 2002
180. Clinical trial of a new glass ionomer for an atraumatic restorative treatment technique in Class I restorations placed in Latvian school children; Armands Ziraps – Medical Academy of Latvia, Eino Honkala – University of Helsinki & Kuwait University; Med Principles Pract 2002; 11 (suppl 1):44-47
181. Effectiveness of glass-ionomer (ART) and amalgam restorations in the deciduous dentition: results after 3 years; D. Taifour, N. Beiruti – Training & Research Centre for Oral Health, Damascus, Syria, J.E. Frencken, M.A. van 't Hof, G.J. Truin – University of Nijmegen, The Netherlands; Caries Res 2002; 36:437-444
182. In vitro wear rates of materials under different loads and varying pH; Mitra Shabanian, DDS,Phd and Lindsay C. Richards BDS, BScDent, PhD – University of Adelaide – Australia; The Journal of Prosthetic Dentistry – Volume 97, Number 6 – June 2002
183. Restoration of teeth with more-viscous glass ionomer cements following radiation-induced caries; J.-Y. Hu, Y.-Q. Li – Beijing, PR China, R.J. Smales – Adelaide, South Australia, K.H.-K. Yip – Hong Kong SAR, PR China; International Dental Journal (2002) 52, 445-448
184. The influence of resin coating on the shear punch strength of a high strength auto-cure glass ionomer; J. Leirskar, H. Nordbø – University of Oslo, G.J. Mount – Adelaide University, H. Ngo – Adelaide University; Dental Material 19 (2003) 87-91
185. Comparison of atraumatic restorative treatment and conventional restorative procedures in a hospital clinic: evaluation after 30 months; W.Gao, BDS,PhD, D. Peng, BDS, MSc, PhD - Beijing Medical University, J. Smales, MDS, DDSc – Adelaide University, K.H.-K. Yip, BDS, Med, MMedSc, PhD – University of British Columbia, Canada; Quintessenz International, Volume 34, Number 1, 2003

186. Sigillo di otturazioni in cemento vetroionomerico in vivo e in vitro; A. Fabianelli, C. Goracci, S. Grandini, F. Monticelli, M. Ferrari – Università degli Studi di Siena; *Dental Cadmos* 1/2003, p. 29-33
187. Clinical evaluation of Class II composite restoration over 30 months; G. Dondi dall'Orologio, R. Lorenzi and M. Anselmi – Division of Conservative, University of Bologna, Bologna, Italy; Abstract 9 – EADR Cardiff, September 2002
188. Three-year survival of ART and amalgam restorations in permanent dentitions; D. Taifour, N. Beiruti (WHO Regional Centre Damascus, Syria), J. E. Frencken, M.A. Van 't Hof, G.J. Truin (University of Nijmegen), W.H. Van Palenstein Helderma (WHO Collaborating Centre Nijmegen, the Netherlands); Abstract 199 - EADR Cardiff, September 2002
189. Assessment of encapsulated versus hand-mixed glass-ionomer dental restoratives; G.J.P. Fleming and D. Zala (Biomaterials Unit, University of Birmingham School of Dentistry, St. Chad's Queensway, Birmingham B4 6NN, UK); Abstract 219 - EADR Cardiff, September 2002
190. Salivary contamination and bond strength of glass-ionomer to dentine; K.E. Kulczyck, S.K. Sidhu, J.F. McCabe (Dept. of Restorative Dentistry, University of Newcastle, UK); Abstract 220 – EADR Cardiff – September 2002
191. Mechanical properties of glass ionomer cements affected by curing methods; C.J. Kleverlaan, R.N.B. Van Duinen, A.J. Feilzer (ACTA, Dept. of Dental Material Sciences, the Netherlands); Abstract 221 – EADR Cardiff, September 2002
192. Enhanced setting of a glass ionomer material used for orthodontic applications; T.J. Algea, A.J. Feilzer, C.J. Kleverlaan, R.B. Kuitert, A.J. De Gee and B.Prahl-Andersen (ACTA, Dept.'s of Orthodontics & Dental Material Sciences, the Netherlands); Abstract 222 – EADR Cardiff, September 2002
193. UK dental practitioners' understanding of ART; FJT Burke, L. Shaw, S. Delargy (University of Birmingham, UK), S. Mchugh, L. Macpherson, M.-T. Hosey (Glasgow University, UK) and B. Dopheide (GC Europe N.V.); Abstract 224 - EADR Cardiff, September 2002
194. Shear bond strength of glass-ionomer cements to carious dentine; B. Czarnecka, P. Deręgowska-Nosowicz, H. Limanowska-Shaw (Dept. of Biomaterials and Experimental Dentistry, Karol Marcinkowski University of Medical Sciences, Poznan, Poland); Abstract 706 – EADR Cardiff, September 2002
195. Histological study on the effect of air inclusions on the bonding of dental biomaterials; B. Czarnecka, B. Mi Kowiak, H. Limanowska-Shaw, J. Stopa, T. Matthews-Brzozowska (Dep. Of Biomaterials, Dep. Of Histology, Dep. Of Optometry and Biology of Visual System, Dep. of Conservative Dentistry, K. Marcinkowski University of Medical Sciences, Poznan, Dep. of Orthodontics Wroclaw Medical University, Poland); Abstract 708 – EADR Cardiff, September 2002
196. La condensazione ultrasonica dei CVI convenzionali; D.Minetti, M. Lombardini, A. Cisternino, U. Genova, C. Poggio; Università degli Studi di Pavia; *Dental Cadmos* 5/2003, p.45-59
197. Chemical micro-analysis of enamel before and after interaction with some glass ionomers cements; M. Andreasi Bassi, M. Tallarico, C. Cito, G. Goracci; Abstract 210 – 37th Annual Meeting of the EADR, 2001, Rome, Italy
198. Analysis of the chemical composition of four GICs; M. Andreasi Bassi, F. Rossani, L. Gallottini; *Dental Cadmos* 2/2002
199. Comparison between restorations in the permanent dentition produced by hand and rotary instrumentation – survival after 3 years; D. Taifour, J.E. Frencken, N. Beiruti, M.A. van 't Hof, G.J. Truin and W.H. van Palenstein Helderma; *Community Dentistry and Oral Epidemiology* 2003, 31: 122-8
200. Inhibitory effects on selected oral bacteria of antibacterial agents incorporated in a glass ionomer cement; M.G. Botelho; *Caries Research* 2003, 37:108-114
201. The influences of glass ionomers on water flux across dentin; S.K. Sidhu; Abstract 0203 – 81st General Session of the IADR, 2003, Göteborg, Sweden
202. In vitro microleakage of a new restorative material; M. Pezzoli, G.M. Buttarello; Abstract 0362 - 81st General Session of the IADR, 2003, Göteborg, Sweden
203. Water sorption and disintegration of various dental adhesives containing fluoride; K. Kida, Y. Momoi and A. Kohno; Abstract 0372 – 81st General Session of the IADR, 2003, Göteborg, Sweden

204. Chemical bonding potential of adhesive materials to hydroxyapatite; B. Van Meerbeek, J. De Munck, Y. Yoshida, K. Shirai, S. Inoue, H. Shintani and P. Lambrechts; Abstract 0708 – 81st General Session of the IADR, 2003, Göteborg, Sweden
205. Interaction of conventional glass-ionomer cements with hydrated dentin; C.K.Y. Yiu, F.R.Tay, N.M. King, D.H. Pashley, S.K. Sidhu, J. Neo, M. Toledano, A. Wong; Abstract 0719 – 81st General Session of the IADR, 2003, Göteborg, Sweden
206. Antibacterial effects and physical properties of glass-ionomer cements containing chlorhexidine for ART; Y. Takahashi, S. Imazato, T. Kaneko, K. Ishimura, S. Ebisu, J.E. Frencken and F.R. Tay; Abstract 0993 – 81st General Session of the IADR, 2003, Göteborg, Sweden
207. Clinical failure of Class II restorations of a highly viscous glass-ionomer material; J.D. Scholtanus; Abstract 1287 - 81st General Session of the IADR, 2003, Göteborg, Sweden
208. Shear bond strength of encapsulated glass-ionomer cements to sound and carious dentin; B. Czarnecka, P. Deregowska-Nosowicz, H. Limanowska-Shaw; Abstract 1445 - 81st General Session of the IADR, 2003, Göteborg, Sweden
209. Early flexural strength and surface hardness of trial glass-ionomer cement for anterior restoration; H. Tokui, D. Usuki, S. Kato and S. Akahane; Abstract 1982 - 81st General Session of the IADR, 2003, Göteborg, Sweden
210. Effect of heat activation on setting times of glass ionomers; J.D. Astroth, K. Naasz, R.G. Berg and J.W. Stansbury; Abstract 1983 - 81st General Session of the IADR, 2003, Göteborg, Sweden
211. Mixing time and dosing accuracy of handmix glass-ionomer restoratives; S. Frank, R. Peez and J. Leykauff; Abstract 1984 - 81st General Session of the IADR, 2003, Göteborg, Sweden
212. Comparison of the acid-resistance level of the dentin surface immersed with fluoride-releasing materials in artificial saliva; T. Noguchi, S. Kato and S. Akahane; Abstract 1986 - 81st General Session of the IADR, 2003, Göteborg, Sweden
213. Successful use of airabrasion on conjunction with ozone treatment; C. Clifford; Abstract 2747 - 81st General Session of the IADR, 2003, Göteborg, Sweden
214. Histological evaluation of adhesion of conventional glassionomer cements to dentin and enamel; B. Czarnecka; 37th Annual Meeting of the EADR, 2001, Rome, Italy.
215. Comparison of retentive qualities of two glass-ionomer cements used as fissure sealants; K.L. Weerheijm, C.M. Kreulen, R.J.M. Gruythuysen; *Journal of dentistry for children* – July/August 1996.
216. Toughness, bonding and fluoride-release properties of hydroxyapatite-added glass ionomer cement; Milanita E. Lucas, Kenji Arita, Mizuho Nishino; *Biomaterials* 24 (2003) 3787 – 3794.
217. Cytotoxicity of conventional and modified glass ionomer cements; WH Lan, WV Lan, TM Wang, YL Lee, WY Tseng, CP Lin, MC Chang, JH Jeng; *Operative Dentistry*, 2003, 28-3, 251-259.
218. Physiological remineralization of artificially demineralized dentin beneath glass ionomer cements with or without bacterial contamination in vivo; Y. Kitasako, M. Nakajima, RM Foxtton, K. Aoki, PNR Pereira, J Tagami; *Operative Dentistry*, 2003, 28-3, 276-282
219. Microbiological assessment of saliva from children subsequent to atraumatic restorative treatment (ART); C.K.S. Carvalho & A.C.B. Bezerra; *International Journal of Paediatric Dentistry* 2003; 13; 186 – 192
220. Mutans streptococci and lactobacilli in carious dentine before and after Atraumatic Restorative Treatment; Marcelo Bönecker, Cheryl Toi, Peter Cleaton-Jones; *Journal of Dentistry* (2003) 31, 423-428
221. Effects of glass ionomer sealants in newly erupted first molars after 5 years: a pilot study; D. Taifour, J.E. Frencken, M.A. van't Hof, N. Beiruti, G.-J. Truin; *Community Dentistry and Oral Epidemiology* 2003; 31:314-9
222. Effect of home-use bleaching gels on fluoride releasing restorative materials; Z.C. Cehreli, R. Yazici, F. Garcia-Godoy; *Operative Dentistry*, 2003, 28-5, 605-609

223. Restoring proximal lesions in the primary dentition: Is glass ionomer cement the material of choice?; Juliette M. Scott and Erin K. Mahoney; *New Zealand Dental Journal* 99, No.3: 65-71; September 2003
224. Incorporation of casein phosphopeptide-amorphous calcium phosphate into a glass-ionomer cement; S.A. Mazzaoui, M.F. Burrow, M.J. Tyas, S.G. Dashper, D. Eakins and E.C. Reynolds; *Journal of Dental Research* 82 (11) 2003
225. Clinical evaluation of the ART technique using high density and resin-modified glass ionomer cements; E. Machado de Souza, D.F. Gigo Cefaly, R. Sano Terada, C. Camargo Rodrigues, M. Fidela de Lima Navarro; *Oral Health Prev Dent* 2003; 1:201-207
226. Mechanical properties of glass ionomer cements affected by curing methods; C.J. Kleverlaan, R.N.B. van Duinen, A.J. Feilzer; *Dental Material* (2004) 20, 45-50 *
227. Support of occlusal enamel provided by bonded restorations; LP Grisanti, KB Troendle, JB Summitt; *Operative Dentistry*, 2004, 29-1, 49-53
228. Surface finish of resin-modified and highly viscous glass ionomer cements produced by new one-step systems; AUJ Yap, JJ Ng, SH Yap, CK Teo; *Operative Dentistry*, 2004, 29-1, 87-91
229. Comparison of surface finish of new aesthetic restorative materials; AUJ Yap, SH Yap, CK Teo, JJ Ng; *Operative Dentistry*, 2004, 29-1, 100-104
230. Physico-mechanical properties of a fast-set highly viscous GIC restorative; AUJ Yap, YS Pek, P Cheang; *Journal of Oral Rehabilitation* 2003 30; 1-8
231. Effectiveness of single-surface ART restorations in the permanent dentition: a meta-analysis; JE Frencken, MA van 't Hof, WE van Amerongen and CJ Holmgren; *J Dent Res* 83(2): 120-123, 2004
232. Survival of glass ionomer restorations placed in primary molars using atraumatic restorative treatment (ART) and conventional cavity preparations: 2-year results; C Yu, X-J Gao, D-M Deng, H-K Yip, RJ Smales; *International Dental Journal* (2004) 54, 42-46
233. Bond strength of glass ionomer cement to antibacterial conditioned dentine. M. Botelho. Abstract 0036 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
234. Influence of Cavity-base to Composites on Bond Strength under Thermalstress. T. Takigawa, A. Irokawa, H. Inage, N. Miya and T. Kuroda. Abstract 0464 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
235. Enamel response of primary teeth after demineralization challenge: restorations' influence. C.J. Ramos and S.I. Myaki. Abstract 0491 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
236. Effects of Mixing Ratio on Weight of Glass-ionomer when Heated. Z. Yan, S.K. Sidhu and J.F. McCabe. Abstract 0509 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
237. Compressive strength of glass-ionomer cements used for atraumatic restorative treatment. L.M.S. Miranda, M.S. Miranda, H.R. Sampaio Filho and T.B. Rabello. Abstract 0512 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
238. The glass-ionomer interface with laser and bur prepared dentine. P. Ekworapoj, S. Sidhu and J.F. McCabe. Abstract 0518 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
239. Effects of Repeated Fluoride Varnish Application on Different Restorative Surfaces. K.M. Schulte, M.F. Iseman, F.S. Salama and J.W. Reinhardt. Abstract 0648 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
240. One-Year Clinical Evaluation of Three Restorative Materials in Primary Molars. M.H. Daou. Abstract 1377 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
241. The Effects of Ultrasonically Setting Glass Ionomer Cements. M.R. Towler, E. Twomey, C.M. Crowley, J. Doyle and S. Hampshire. Abstract 1388 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.

242. Fluoride release/uptake of glass ionomer cements and polyacid-modified composite resins. S. Cildir and N. Sandalli. Abstract 1395 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
243. Histological Evaluation of Adhesive Restorations on Dentin Caries. Y. Shimada, J. Tagami and R.M. Foxton. Abstract 1724 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
244. Effect of Cavity Treatment on Microleakage in Glass Ionomer Restorations. A. Pokorny, P. Pokorny, A.-M.L. Neme and F.E. Pink. Abstract 1774 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
245. Microleakage of Glass Ionomer Restorations. L. Azzouni, M. Khateeb, R. Wadenya and F.K. Mante. Abstract 1775 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
246. A Microleakage Study of the Sealant Materials. O. Aktoren, B. Bilgin and T. Bilgin. Abstract 1779 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
247. Hardening of Dentin Adjacent to Glass Ionomer Restorations. D.W. Berzins, M.S. Bapna, M. Britto, R. Moiseyeva and N.K. Sarkar. Abstract 1804 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
248. Topography of Fuji IX® and IRM® ART' restorations: one-year survey. B.M. Santiago, L.G. Primo, L.M. Chevitarese and R.R. Luiz. Abstract 1844 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
249. The Measure of Wear in N-vinylpyrrolidinone Modified Glass-Ionomer Cements. S. Schricker, T. Yamazaki, W.A. Brantley, R. Seghi and B.M. Culbertson. Abstract 3280 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
250. Effects of environment on thermal expansion and contraction of glass-ionomers. Z. Yan, S.K. Sidhu and J.F. McCabe. Abstract 2671 – 82nd General Session of the IADR, 2004, Honolulu, Hawaii.
251. Color stability of fluoride-containing restorative materials. G. Iazzetti, J.O. Burgess, D. Gardiner, A. Ripps. *Operative Dentistry*, 2000, 25, 520-525.
252. An in vitro evaluation of microleakage of the high viscosity glass-ionomer cement. T. Gürbüz and Y. Yilmaz. *The journal of the dental faculty of Atatürk University*, Vol.13, Number 1, p.9-15, April 2003.
253. Infected immature teeth treated with surgical endodontic treatment and root-reinforcing technique with glass ionomer cement. J.-P. Duprez, D. Bouvier, E. Bittar. *Dental Traumatology* 2004; 20:233-240
254. Effects of artificial saliva and APF gel on the surface roughness of newer glass ionomer cements. H.K. Yip, W.M. To, R.J. Smales. *Operative Dentistry*, 2004, 29-6, 661-668
255. Crack closure on rehydration of glass-ionomer materials. S.K. Sidhu, P. Pilecki, M. Sherriff, TF Watson. *Eur J Oral Sci* 2004; 112: 465-469
256. Fluoride release and uptake abilities of conventional glass ionomer cements affected by ultrasonic curing. C. Poggio, S. Rindi, A. Peronnia, A. Scribante. *Italian Journal of Operative Dentistry*, vol.II – n.4, pp. 207-211 Ottobre-Dicembre 2004
257. Mechanical property characterization of a novel directly-placed ceramic restorative material. J. Geirsson, S.C. Bayne, E.J. Swift Jr., J.Y. Thompson. *American Journal of Dentistry*, Vol. 17, No.6, December, 2004
258. Porosity evaluation and pore size distribution of a novel directly placed ceramic restorative material. J. Geirsson, J.Y. Thompson, S.C. Bayne. *Dental Materials* (2004) 20, 987-995
259. Effect of prophylaxis regimens on surface roughness of glass ionomer cements. S.S. Wu, A.U.J. Yap, S. Chelvan, E.S.F. Tan. *Operative Dentistry*, 2005, 30-2, 180-184