

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

### 1 Identification

- **Product identifier**
- **Trade name:** CERAMIC PRIMER II
- **Application of the substance / the mixture** Dental bonding material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
GC America Inc.  
3737 W. 127th Street  
Alsip, IL 60803  
USA  
  
sds@gcamerica.com
- **Information department:** Regulatory Affairs
- **Emergency telephone number:**  
During normal opening times (Mon.-Fri. 8:00 AM-5:00 PM CST): +1 (708) 597-0900  
Transportation (CHEMTREC®) Emergency Telephone No. +1 (800) 424-9300

### 2 Hazard identification

- **Classification of the substance or mixture**

Flammable Liquids - Category 2	H225	Highly flammable liquid and vapour.
Acute Toxicity (Dermal) – Category 4	H312	Harmful in contact with skin.
Skin Irritation - Category 2	H315	Causes skin irritation.
Eye Irritation - Category 2A	H319	Causes serious eye irritation.
Skin Sensitizer - Category 1	H317	May cause an allergic skin reaction.
Specific Target Organ Toxicity - Single Exposure - Category 3	H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.
Specific Target Organ Toxicity - Repeated Exposure - Category 1	H372	Causes damage to organs through prolonged or repeated exposure.
- **Additional information:**  
The information provided is in regards to the toxicity and hazard rating(s) of the individual component(s) in the formulation. The associated risk(s) depends on the route(s) of exposure. The hazard rating system is based entirely on the existence of the risk(s) and does not take into account the likelihood of reduced risk(s) through proper usage and handling.

---

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02 GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**  
ethyl alcohol

(Contd. on page 2)

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

**Trade name:** CERAMIC PRIMER II

(Contd. of page 1)

dimethacrylate component\*\*

phosphoric acid ester monomer\*\*

- **Hazard statements**

Highly flammable liquid and vapour.

Harmful in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation. May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

2 % of the mixture consists of an ingredient or ingredients of unknown acute toxicity.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 3

Reactivity = 0

- **HMS-ratings (scale 0 - 4)**



HEALTH 2 Health = 2

FIRE 3 Fire = 3

REACTIVITY 0 Reactivity = 0

### 3 Composition/Information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64-17-5	ethyl alcohol	60 - 100% w/w
	phosphoric acid ester monomer**	1 - 5% w/w
	dimethacrylate component**	1 - 5% w/w

- **Additional information:**

If a substance is marked with \*\*, then substance is a trade secret. This is allowed under OSHA's Hazard Communication Standard (HCS) as a trade secret and under GHS as Confidential Business Information (CBI).

CA

(Contd. on page 3)

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: CERAMIC PRIMER II

(Contd. of page 2)

### 4 First aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
If symptoms persist consult doctor.
- **After inhalation:**  
Supply fresh air; consult doctor in case of complaints.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Seek medical treatment.
- **After eye contact:**  
Protect unharmed eye.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Allergic reactions
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Remove persons from danger area.  
Keep away from ignition sources  
Avoid contact with the eyes and skin.  
Wear protective clothing.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Do not allow to penetrate the ground/soil.
- **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb liquid components with liquid-binding material.  
Dispose of the collected material according to regulations.

(Contd. on page 4)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

**Trade name:** CERAMIC PRIMER II

(Contd. of page 3)

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

Observe instructions for use.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray on a naked flame or any incandescent material.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Store only in unopened original receptacles.

- **Information about storage in one common storage facility:** Store away from foodstuffs.

- **Further information about storage conditions:**

Observe instructions for use / storage.

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in a cool place.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/ Personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

<b>CAS: 64-17-5 ethyl alcohol</b>	
EL	Short-term value: 1000 ppm
EV	Long-term value: 1,900 mg/m <sup>3</sup> , 1,000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: CERAMIC PRIMER II

(Contd. of page 4)

- **Breathing equipment:**



Suitable respiratory protective device recommended.

- **Protection of hands:**



Protective gloves

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Manufacturing sites:

Wear safety glasses with side shields (or goggles).

Distribution, Workplace, and Household Settings:

No special protective equipment required

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol-like
<b>Odor threshold:</b>	Not determined.

- **pH-value:** Not determined.

- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	78 °C

- **Flash point:** 13 °C

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** Undetermined.

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not self-igniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

(Contd. on page 6)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: CERAMIC PRIMER II

(Contd. of page 5)

<ul style="list-style-type: none"> <li>· <b>Explosion limits:</b></li> <li>    <b>Lower:</b> 3.5 Vol %</li> <li>    <b>Upper:</b> 15 Vol %</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Vapor pressure:</b> Not determined.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Density at 20 °C:</b> 0.8 g/cm<sup>3</sup></li> <li>· <b>Relative density:</b> Not determined.</li> <li>· <b>Vapor density:</b> Not determined.</li> <li>· <b>Evaporation rate:</b> Not determined.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Solubility in / Miscibility with Water:</b> Fully miscible.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Partition coefficient (n-octanol/water):</b> Not determined.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Viscosity:</b></li> <li>    <b>Dynamic:</b> Not determined.</li> <li>    <b>Kinematic:</b> Not determined.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Solvent content:</b></li> <li>    <b>Organic solvents:</b> 92.5 %</li> <li>· <b>Other information:</b> No further relevant information available.</li> </ul>

### 10 Stability and reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable at ambient temperature.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** No further relevant information available.
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Experience with humans:**
  - May cause damage to central nervous system.
  - May cause damage to lungs.
- **Additional toxicological information:**
  - The product shows the following dangers according to internally approved calculation methods for preparations:
  - Irritant

(Contd. on page 7)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: CERAMIC PRIMER II

(Contd. of page 6)

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

ethyl alcohol

1

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **Carcinogenic categories' legend:**

IARC Group 1: The agent is carcinogenic to humans.

IARC Group 2A: The agent is probably carcinogenic to humans.

IARC Group 2B: The agent is possibly carcinogenic to humans.

IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

IARC Group 4: The agent is probably not carcinogenic to humans.

NTP K: Known to be human carcinogen.

NTP R: Reasonably anticipated to be human carcinogen.

- **Additional carcinogenic information:**

The substance ethyl alcohol, also known as ethanol, is listed by IARC as a Group 1 carcinogen but in alcoholic beverage consumption. IARC Volume 100E (2012) "Personal Habits and Indoor Combustions" stated in its monograph "Consumption of Alcoholic Beverages" the following evaluation: "Ethanol in alcoholic beverages is carcinogenic to humans (Group 1)." GC products are not consumable alcoholic beverages.

- **Repeated dose toxicity.** No further relevant information available.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

No further relevant information available.

No further relevant information available.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Dispose of contents / container in accordance with local / regional / national / international regulations.

(Contd. on page 8)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1




Reviewed on 01/09/2018

Trade name: CERAMIC PRIMER II

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- |                                                                                  |                                                                                     |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| · <b>UN-Number</b>                                                               |                                                                                     |
| · <b>DOT, TDG, IMDG, IATA</b>                                                    | UN1170                                                                              |
| · <b>UN proper shipping name</b>                                                 |                                                                                     |
| · <b>DOT</b>                                                                     | Ethanol solution                                                                    |
| · <b>TDG</b>                                                                     | 1170 Ethanol solution                                                               |
| · <b>IMDG, IATA</b>                                                              | ETHANOL SOLUTION solution                                                           |
| · <b>Transport hazard class(es)</b>                                              |                                                                                     |
| · <b>DOT</b>                                                                     |                                                                                     |
|                                                                                  |    |
| · <b>Class</b>                                                                   | 3 Flammable liquids                                                                 |
| · <b>Label</b>                                                                   | 3                                                                                   |
| · <b>TDG (Transport dangerous goods):</b>                                        |                                                                                     |
|                                                                                  |  |
| · <b>Class</b>                                                                   | 3 (F1) Flammable liquids                                                            |
| · <b>Label</b>                                                                   | 3                                                                                   |
| · <b>IMDG, IATA</b>                                                              |                                                                                     |
|                                                                                  |  |
| · <b>Class</b>                                                                   | 3 Flammable liquids                                                                 |
| · <b>Label</b>                                                                   | 3                                                                                   |
| · <b>Packing group</b>                                                           |                                                                                     |
| · <b>DOT, TDG, IMDG, IATA</b>                                                    | II                                                                                  |
| · <b>Environmental hazards:</b>                                                  |                                                                                     |
| · <b>Marine pollutant:</b>                                                       | No                                                                                  |
| · <b>Special precautions for user</b>                                            | Warning: Flammable liquids                                                          |
| · <b>Danger code (Kemler):</b>                                                   | 33                                                                                  |
| · <b>EMS Number:</b>                                                             | F-E,S-D                                                                             |
| · <b>Stowage Category</b>                                                        | A                                                                                   |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                                                     |

(Contd. on page 9)

CA



# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: CERAMIC PRIMER II

(Contd. of page 8)

· **Transport/Additional information:**

· **TDG**

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **IMDG**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":**

UN 1170 ETHANOL SOLUTION, 3, II

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA (Superfund Amendments and Reauthorization Act)

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

ethyl alcohol

silane\*\*

dimethacrylate component\*\*

methacrylate\*\*

· **Canadian substance listings:**

· **Canadian Domestic Substances List (DSL)**

ethyl alcohol

silane\*\*

dimethacrylate component\*\*

methacrylate\*\*

· **Canadian Ingredient Disclosure list (limit 0.1%)**

ethyl alcohol

· **Canadian Ingredient Disclosure list (limit 1%)**

silane\*\*

dimethacrylate component\*\*

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

CA

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

Trade name: CERAMIC PRIMER II

(Contd. of page 9)

- **Hazard pictograms**



GHS02 GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

ethyl alcohol  
dimethacrylate component\*\*  
phosphoric acid ester monomer\*\*

- **Hazard statements**

Highly flammable liquid and vapour.  
Harmful in contact with skin.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause an allergic skin reaction.  
May cause respiratory irritation. May cause drowsiness or dizziness.  
Causes damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

- **Department issuing SDS:** Regulatory Affairs

- **Contact:**

Regulatory Affairs  
Telephone No. +1 (708) 597-0900  
sds@gcamerica.com

- **Date of preparation / last revision** 03/13/2018 / -

- **Abbreviations and acronyms:**

GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
HCS: Hazard Communication Standard (USA)  
MSDS: Material Safety Data Sheet  
SDS: Safety Data Sheet  
ECHA: European Chemicals Agency  
OSHA: Occupational Safety and Health Administration (USA)  
LEL: Lower Explosive Limit  
UEL: Upper Explosive Limit  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association

(Contd. on page 11)

# Safety Data Sheet

## according to HPR, Schedule 1

Printing date 03/13/2018

Version CA-EN-Rev 1

Reviewed on 01/09/2018

**Trade name:** CERAMIC PRIMER II

(Contd. of page 10)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

**• Sources**

- Manufacturers' MSDSs/SDSs
- OSHA (<https://www.osha.gov/dts/chemicalsampling/toc/chmcas.html>)
- TOXNET (<http://toxnet.nlm.nih.gov/>)
- ECHA (<http://echa.europa.eu/>)
- EnviChem ([www.echemportal.org](http://www.echemportal.org))

**• Notes:**

CAS Registry Number is a Registered Trademark of the American Chemical Society.

CHEMTREC® is a registered service mark of the American Chemistry Council, Inc.

- \* **Data compared to the previous version altered.** This version replaces all previous versions.

**• Disclaimer:**

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.

CA